

**Luminaire**  
 Code FA03NW  
 Name XFADE  
**Measur.**  
 Code FA03NW  
 Name XFADE

Luminaire Flux	167.96 lm	Luminaire Power	4.30 W	Efficacy	39.06 lm/W	Efficiency	99.98%
Lamps Flux	168.00 lm	Maximum value	249.74 cd/klm	Position	C=15.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire Rectangular Luminous Area	Length Length	170 mm 170 mm	Width Width	50 mm 50 mm	Height Height	5 mm 5 mm	
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°	0.008500 m2 0.000850 m2 0.000250 m2	Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°	0.000850 m2 0.000250 m2 0.002881 m2				
Coordinate system Date Measurement Distance	CG 07-07-2020 0.00	Symmetry Type Maximum Gamma Angle Measurement Flux	Double Symmetrical 90 151.00 lm				
Operator Temperature Humidity Notes	25.00 °C 60.00 %	Source Voltage [V] Source current [A] Photocell					

Line	Code	Luminaire Lamps	Flux [lm]	Pow. [W]	Q.ty
	FA03NW	Name XFADE	168.00	4.30	1
C.I.E.	34 61 83 100 100	D DIN 5040	A20		
F UTE	1.00 H	B NBN	BZ 6		

