

**Luminaire**


Code GS03NWIP65\_BK  
Name XGHOST

**Measur.**

Code GS03NWIP65\_BK  
Name XGHOST



Luminaire Flux	116.84 lm	Luminaire Power	2.50 W	Efficacy	46.74 lm/W	Efficiency	99.86%
Lamps Flux	117.00 lm	Maximum value	1795.98 cd/klm	Position	C=0.00 G=12.00	CG	Asymmetrical
Rectangular Luminaire		Length	160 mm	Width	30 mm	Height	5 mm
Rectangular Luminous Area		Length	160 mm	Width	30 mm	Height	5 mm
Horizontal Luminous Area	0.004800 m2			Emitting area on Plane 180°		0.000800 m2	
Emitting area on Plane 0°	0.000800 m2			Emitting area on Plane 270°		0.000150 m2	
Emitting area on Plane 90°	0.000150 m2			Glare area at 76°		0.001937 m2	
Coordinate system	CG			Symmetry Type		Asymmetrical	
Date	30-08-2021			Maximum Gamma Angle		90	
Measurement Distance	0.00			Measurement Flux		117.00 lm	
Operator				Source Voltage [V]			
Temperature	25.00 °C			Source current [A]			
Humidity	60.00 %			Photocell			
Notes							

Line		Code		Luminaire Lamps		Name		Flux [lm]	Pow. [W]	Q.ty
		GS03NWIP65_BK		XGHOST				117.00	2.50	1
C.I.E.	86 99 100 100 100			D DIN 5040		A60				
F UTE	1.00 A			B NBN		BZ 1				



**Luminaire**  
 Code GS03NWIP65\_BK  
 Name XGHOST  
**Measurement**  
 Code GS03NWIP65\_BK  
 Name XGHOST

Luminaire Flux	116.84 lm	Luminaire Power	2.50 W	Efficacy	46.74 lm/W	Efficiency	99.86%
Lamps Flux	117.00 lm	Maximum value	1795.98 cd/klm	Position	C=0.00 G=12.00	CG	Asymmetrical



**Luminaire**

Code GS03NWIP65\_BK  
Name XGHOST

**Measurement**

Code GS03NWIP65\_BK  
Name XGHOST

Luminaire Flux	116.84 lm	Luminaire Power	2.50 W	Efficacy	46.74 lm/W	Efficiency	99.86%
Lamps Flux	117.00 lm	Maximum value	1795.98 cd/klm	Position	C=0.00 G=12.00	CG	Asymmetrical

**UGR**  
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	7.7	8.5	8.0	8.7	21.3	20.1	20.9	20.4	21.1	21.3
x=2H y=3H	7.6	8.4	7.9	8.6	21.1	20.0	20.7	20.3	20.9	21.1
x=2H y=4H	7.6	8.2	7.9	8.5	21.1	19.9	20.6	20.2	20.8	21.1
x=2H y=6H	7.5	8.1	7.8	8.4	21.0	19.8	20.4	20.2	20.7	21.0
x=2H y=8H	7.5	8.0	7.8	8.3	21.0	19.8	20.4	20.1	20.7	21.0
x=2H y=12H	7.4	8.0	7.8	8.3	20.9	19.7	20.3	20.1	20.6	20.9
x=4H y=2H	8.4	9.1	8.7	9.4	21.1	19.9	20.6	20.2	20.8	21.1
x=4H y=3H	8.4	9.0	8.8	9.3	20.9	19.8	20.3	20.1	20.6	20.9
x=4H y=4H	8.3	8.8	8.7	9.2	20.8	19.7	20.2	20.1	20.5	20.8
x=4H y=6H	8.3	8.7	8.7	9.0	20.8	19.6	20.0	20.0	20.4	20.8
x=4H y=8H	8.2	8.6	8.7	9.0	20.7	19.6	19.9	20.0	20.3	20.7
x=4H y=12H	8.2	8.5	8.6	8.9	20.7	19.5	19.9	20.0	20.2	20.7
x=8H y=4H	8.3	8.7	8.7	9.1	20.7	19.6	19.9	20.0	20.3	20.7
x=8H y=6H	8.2	8.5	8.7	8.9	20.7	19.5	19.8	19.9	20.2	20.7
x=8H y=8H	8.2	8.4	8.6	8.8	20.6	19.4	19.7	19.9	20.1	20.6
x=8H y=12H	8.1	8.3	8.6	8.8	20.5	19.4	19.6	19.9	20.1	20.5
x=12H y=4H	8.3	8.6	8.7	9.0	20.7	19.5	19.9	20.0	20.3	20.7
x=12H y=6H	8.2	8.4	8.6	8.9	20.6	19.4	19.7	19.9	20.1	20.6
x=12H y=8H	8.1	8.3	8.6	8.8	20.5	19.4	19.6	19.9	20.1	20.5